

ACCESS TO SHOPS


UW SHOPS MAY BE IN BUILDINGS WITH HUNDREDS OF OCCUPANTS. TO PREVENT ACCIDENTS AND INJURIES, ENSURE THAT ONLY TRAINED PERSONNEL HAVE ACCESS TO THE SHOP.

AUTHORIZED PERSONNEL

Authorized personnel are people who have successfully undergone shop-specific orientation and training. Only authorized personnel should enter the shop.

Shop safety coordinators can control access to shops by either posting signs or using physical restrictions, such as locked doors.

If an untrained person needs to enter the shop, an authorized (trained) person from that shop should escort them. Or shop coordinators may create a safe walkway to the shop office or other unrestricted area using floor markings.



LIMITING ACCESS

Several options are available for restricting or preventing access to shops:

- Signage on doors. For example, "Authorized/Trained Personnel Only;" "PPE Required Beyond this Sign" or a list of what PPE (Personal Protective Equipment) is required.

- Signage on equipment with machine-specific requirements, including safe usage and proper set-up procedures.
- Locked doors when the shop is not in use, when a hazardous operation is in progress, or when authorized personnel are not present.
- Floor markings and striping to indicate safe walkways, hazard zones, and restricted areas around machinery, electrical panels, etc.
- Equipment/materials access restrictions such as controlling or locking up chuck keys, power supply keys, drill bits, blades, and stock materials.

FLOOR MARKING

The Washington State Department of Occupational Safety & Health (WA-DOSH) shop standard states that "permanent aisles and passageways must be marked." This means that floor marking should be used anywhere there are two or more types of traffic, or in any location in which there are safety hazards.

Use floor markings to mark off **hazard zones** around specific machinery, **restricted areas**, and **safe walkways**. See the pictures for examples of marked off areas.

Consider posting signs to explain the floor markings, and train shop personnel on the floor marking scheme.

Floor Marking Separates Workers from Hazards: Restricted Areas

Use floor marking to establish safe walkways for workers. Locate walkways away from dangerous equipment and other hazardous areas, such as high noise areas.



Floor marking indicating safe walkway.

Floor Marking Separates Pedestrians from Motorized Traffic

Whenever there is a mix of pedestrian and motorized traffic, such as fork lifts, use floor marking tape to


identify aisles for a specific type of traffic. All foot traffic should remain within the marked aisles, and forklifts should not enter those pathways except at designated crossing locations.

Floor Marking Colors

Regulations do not specify colors for floor marking tape. The most important consideration is that your use of color be consistent. Establish a floor marking color coding scheme, train personnel on the scheme, and follow that standard throughout your facility.

A commonly used color system for floor marking is:

- White: for general business purposes not specifically related to safety.
- Yellow: to mark the edge of aisles and safe walkways, hazard zones around equipment, and to define restricted areas.
- Red: to designate the locations of fire extinguishers and other safety equipment that cannot be obstructed.



Hazard zones around specific equipment.

For questions about shop safety, contact your shop coordinator or EH&S at 206.543.7262.